



Certificate of Analysis

Compliance Test

Client Information:

NOT YOUR BAKERY
150 NW 16th St.
Boca Raton, FL 33432

Order # NOT240517-100001
Order Date: 2024-05-17
Sample # AAP064

Batch # 29883
Batch Date: 2024-05-13
Extracted From: Hemp

Test Reg State: Florida

Sampling Date: 2024-05-20
Lab Batch Date: 2024-05-20
Completion Date: 2024-06-03

Initial Gross Weight: 60.300 g

Number of Units: 2
Net Weight per Unit: 1000.000 mg



Product Image

**Potency
Tested**

Delta 8/Delta 10 Potency 13 - (LCUV)
Specimen Weight: 1520.000 mg


Tested

Pieces For Panel: 25

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-9 THC	1.30E-5	0.0015	2.270	0.227
CBG	2.48E-4	0.0015	0.170	0.017
CBN	1.40E-5	0.0015	0.030	0.003
CBC	1.80E-5	0.0015	<LOQ	<LOQ
CBD	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBGA	8.00E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
Delta-8 THC	2.60E-5	0.0015	<LOQ	<LOQ
Delta6a10a-THC	8.47E-5	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD				
Total Active THC			2.270	0.227

Potency Summary

Total Delta 8 - None Detected	Total Delta 10 - None Detected
Total Active THC 0.227%	Total Active CBD - None Detected
Total CBG 0.017%	Total CBN 0.003%
Total Cannabinoids 0.247%	0.030 mg
2.270 mg	0.170 mg


Aixa Sun Lab Director/Principal Scientist
D.H.Sc, M.Sc, B.Sc, MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ug/g) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed = Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K4.036, 5K4.034. Failed = Analyte/microbe is at the level equal to or above the action limit per FL rule 64ER20-39, 5K4.036, 5K4.034. Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

