



Sample Full Spectrum Bacon #2307BFS-1

Sample ID:	BBL_4903	Matrix:	Tincture	Analyses Executed:	CAN
Company:	CBD Farmhouse	Batch ID:	Full Spectrum Bacon	Reported:	15 Sep, 2023
Phone:	214-785-1045	Received:	13 Sep, 2023		
Address:	4360 Spring Valley Rd. Farmers Branch, TX 75244				
Email:	yuong@cbdfarmhouse.com				

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.


Cannabinoid Profile Analysis

Analyzed 13 Sep, 2023 | Instrument HPLC-PDA | Method TM-101
 Uncertainty Measurement at 95% confidence level is 10%, k=2

Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/ml	mg/pack
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	ND	ND
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	ND	ND
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	ND	ND
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	ND	ND
Cannabigerol (CBG)	0.080	0.230	<LoQ	<LoQ	<LoQ	<LoQ
Cannabidiol (CBD)	0.060	0.190	1.7221	17.221	16.9162	507.486
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	ND	ND
Cannabinol (CBN)	0.040	0.120	ND	ND	ND	ND
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	ND	ND
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	<LoQ	<LoQ	<LoQ	<LoQ
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	ND	ND	ND	ND
Cannabicyclol (CBL)	0.210	0.640	ND	ND	ND	ND
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	ND	ND
Cannabichromene (CBC)	0.090	0.280	<LoQ	<LoQ	<LoQ	<LoQ
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND		
Total CBD (CBDa * 0.877 + CBD)			1.7221	17.221		
Total CBG (CBGa * 0.877 + CBG)			ND	ND		
Total Cannabinoids			1.7221	17.221	16.9162	507.486

Volume: 30.0000 ml, Density: 0.9823

Sample Photography



NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 15 Sep, 2023 01:28:55 PM