2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Sample B-Boost Gummy

Sample ID:	BBL_4328	Matrix:	Edible	Analyses Executed:	CAN	
Company:	CBD Farmhouse	Batch ID:	B-Boost Gummy	Reported:	30 May, 2023	
Phone:		Received:	26 May, 2023			
Address:			- 2			
Fmail:	vuona@chdfarmhouse.com		26			

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D10-THC and D8-THCV are not A2LA accredited.

Cannabinoid Profile Analysis


Analyzed 30 May, 2023 | Instrument HPLC-PDA | Method TM-101 Uncertainty Measurement at 95% confidence level is 10%, k=2

			47.707.4			
Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/pack	mg/unit
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	ND	ND
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	ND	ND
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	ND	ND
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	ND	ND
Cannabigerol (CBG)	0.080	0.230	ND	ND	ND	ND
Cannabidiol (CBD)	0.060	0.190	0.5726	5.726	629.86	20.041
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	ND	ND
Cannabinol (CBN)	0.040	0.120	ND	ND	ND	ND
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	ND	ND
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	ND	ND	ND	ND
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	ND	ND	ND	ND
Cannabicyclol (CBL)	0.210	0.640	ND	ND	ND	ND
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	ND	ND
Cannabichromene (CBC)	0.090	0.280	ND	ND	ND	ND
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND		
Total CBD (CBDa * 0.877 + CBD)			0.573	5.726		
Total CBG (CBGa * 0.877 + CBG)			ND	ND		
Total Cannabinoids			0.573	5.726	629.86	20.041

Total weight: 110.0000 g, Unit weight: 3.5000 g

Sample Photography





CBD

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count





verify authenticity.

Archana R. Parameswar,

Dr. Archana R. Parameswar, Laboratory Director 30 May, 2023 03:34:30 PM