

PharmLabs San Diego Certificate of Analysis



Sample Strawberry

Sample ID SD241023-024 (101353)	Matrix Edible
Tested for Road Trip Co	
Sampled -	Received Oct 22, 2024
Analyses executed RES, MIBNIG, MTO, PES, HME, 4AD, PSY	
Reported Oct 31, 2024	

Laboratory note: This sample contains an Unidentified Peak that PharmLabs does not currently test for.

4AD - 4AD Tryptamines Analysis

Analyzed Oct 31, 2024 | Instrument HPLC VWD | Method SOP-4AD
The expanded Uncertainty of the analysis is approximately ±7.806% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g
Mescaline (MESC)	0.19	0.584	ND	ND
N-methyl Tryptamine (NMT)	0.004	0.013	ND	ND
N,N-Dimethyltryptamine (DMT)	0.015	0.048	ND	ND
Psilocetin (PSLA)	0.015	0.044	ND	ND
4-Hydroxy-DET (4HDE)	0.014	0.042	ND	ND
4-Acetoxy-MET (4AME)	0.018	0.053	ND	ND
4-Acetoxy-DET (4ADE)	0.004	0.011	ND	ND
4-Bromo-DMP (2C-B)	0.19	0.576	ND	ND

PSY - Psilocybin & Psilocin Analysis

Analyzed Oct 22, 2024 | Instrument HPLC VWD | Method SOP-PSY
The expanded Uncertainty of the analysis is approximately ±7.806% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g
Psilocybin (PSCY)	0.007	0.019	ND	ND
Psilocin (PSCI)	0.003	0.009	ND	ND

HME - Heavy Metals Analysis

Analyzed Oct 24, 2024 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	1.5
Cadmium (Cd)	0.0005	0.0015	0.00	0.5
Mercury (Hg)	0.0058	0.0174	0.00	3
Lead (Pb)	0.0006	0.0018	0.03	0.5

MIBNIG - Microbial Analysis

Analyzed Oct 23, 2024 | Instrument Plating | Method SOP-007

Analyte	LOD	LOQ	Result CFU/g	Limit	Analyte	LOD	LOQ	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli			ND	ND per 1 gram	Salmonella spp.			ND	ND per 1 gram

MTO - Mycotoxin Analysis

Analyzed Oct 24, 2024 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UJ Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 31 Oct 2024 13:12:08 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides Analysis

Analyzed Oct 24, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

CAPPELLE	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND	0	Carbofuran	0.01	0.02	ND	0
Dimethoate	0.01	0.02	ND	0	Etofenprox	0.02	0.1	ND	0
Fenoxycarb	0.01	0.02	ND	0	Thiachlorpid	0.01	0.02	ND	0
Daminozide	0.01	0.03	ND	0	Dichlorvos	0.02	0.07	ND	0
Imazalil	0.02	0.07	ND	0	Methiocarb	0.01	0.02	ND	0
Spiroxamine	0.01	0.02	ND	0	Coumaphos	0.01	0.02	ND	0
Fipronil	0.01	0.1	NT	0	Paclobutrazol	0.01	0.03	ND	0
Chlorpyrifos	0.01	0.04	ND	0	Ethoprophos (Propfos)	0.01	0.02	ND	0
Baygon (Propoxur)	0.01	0.02	ND	0	Chlordane	0.04	0.1	NT	0
Chlorfenapyr	0.03	0.1	NT	0	Methyl Parathion	0.02	0.1	NT	0
Mevinphos	0.03	0.08	ND	0	Abamectin	0.03	0.08	ND	0.3
Acephate	0.02	0.05	ND	5	Acetamiprid	0.01	0.05	ND	5
Azoxystrobin	0.01	0.02	ND	40	Bifenazate	0.01	0.05	ND	5
Bifenthrin	0.02	0.35	ND	0.5	Boscalid	0.01	0.03	ND	10
Carbaryl	0.01	0.02	ND	0.5	Chlorantranilprole	0.01	0.04	ND	40
Clofentezine	0.01	0.03	ND	0.5	Diazinon	0.01	0.02	ND	0.2
Dimethomorph	0.02	0.06	ND	20	Etoazole	0.01	0.05	ND	1.5
Fenpyroximate	0.02	0.1	ND	2	Fonicamid	0.01	0.02	ND	2
Fludioxonil	0.01	0.05	ND	30	Hexythiazox	0.01	0.03	ND	2
Imidacloprid	0.01	0.05	ND	3	Kresoxim-methyl	0.01	0.03	ND	1
Malathion	0.01	0.05	ND	5	Metaxalyl	0.01	0.02	ND	15
Methomyl	0.02	0.05	ND	0.1	Myclobutanil	0.02	0.07	ND	9
Naled	0.01	0.02	ND	0.5	Oxamyl	0.01	0.02	ND	0.2
Permethrin	0.01	0.02	ND	20	Phosmet	0.01	0.02	ND	0.2
Piperonyl Butoxide	0.02	0.06	ND	8	Propiconazole	0.03	0.08	ND	20
Prallethrin	0.02	0.05	ND	0.4	Pyrethrin	0.05	0.41	ND	1
Pyridaben	0.02	0.07	ND	3	Spinosad A	0.01	0.05	ND	3
Spinosad D	0.01	0.05	ND	3	Spiromesifen	0.02	0.06	ND	12
Spirotetramat	0.01	0.02	ND	13	Tebuconazole	0.01	0.02	ND	2
Thiamethoxam	0.01	0.02	ND	4.5	Trifloxystrobin	0.01	0.02	ND	30
Acequinocyl	0.02	0.09	ND	4	Captan	0.01	0.02	ND	5
Cypermethrin	0.02	0.1	NT	1	Cyfluthrin	0.04	0.1	NT	1
Fenhexamid	0.02	0.07	ND	10	Spinetoram J.L	0.02	0.07	ND	3
Pentachloronitrobenzene	0.01	0.1	NT	0.2	Chlormequat Chloride	0.02	0.1	NT	0.2

RES - Residual Solvents Analysis

Analyzed Oct 24, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.08	0.4	ND	5000	Butane (But)	0.08	0.4	ND	5000
Methanol (Metha)	0.08	0.4	ND	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.08	0.4	ND	5000	Ethanol (Ethan)	0.08	0.4	ND	5000
Ethyl Ether (EthEt)	0.08	0.4	ND	5000	Acetone (Acet)	0.08	0.4	<LOQ	5000
Isopropanol (2-Pro)	0.08	0.4	<LOQ	5000	Acetonitrile (Acetonit)	0.08	0.4	ND	410
Methylene Chloride (MetCh)	0.08	0.4	ND	1	Hexane (Hex)	0.08	0.4	ND	290
Ethyl Acetate (EthAc)	0.08	0.4	ND	5000	Chloroform (Clo)	0.08	0.4	ND	1
Benzene (Ben)	0.08	0.4	ND	1	1,2-Dichloroethane (12-Dich)	0.08	0.4	ND	1
Heptane (Hep)	0.08	0.4	ND	5000	Trichloroethylene (TriClEth)	0.08	0.4	ND	1
Toluene (Toluene)	0.08	0.4	ND	890	Xylenes (Xyl)	0.08	0.4	ND	2170

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Thu, 31 Oct 2024 13:12:08 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.