



Hemp Derived Super Runtz Live Resin

Sample ID: G4E0060-04

Matrix: Hemp Extracts & Concentrates

Test ID: 5034495

Source ID:

Date Sampled: 04/30/24

Date Accepted: 04/30/24

IJS Farm Inc.

Results at a Glance

Total THC : 84.66 %

Total CBD : <LOQ (0.0431%) %



Hemp Derived Super Runtz Live Resin

Sample ID: G4E0060-04

Matrix: Hemp Extracts & Concentrates

Test ID: 5034495

Source ID:

Date Sampled: 04/30/24

Date Accepted: 04/30/24


IJS Farm Inc.

Potency Analysis

Date/Time Extracted: 05/04/24 10:04

Analysis Method/SOP: 215

Batch Identification: 2418064

Cannabinoids	LOQ (%)	% by Wt.	mg/g	Cannabinoids Profile
Total THC	0.0005	84.66	846.6	 <p>THCA 96.5 Total: 96.5</p>
Total CBD	0.0431	< LOQ	< LOQ	
THCA	0.0005	96.53	965.3	
delta 9-THC	0.0005	< LOQ	< LOQ	
delta 8-THC	0.0934	< LOQ	< LOQ	
THCV	0.1052	< LOQ	< LOQ	
THCVA	0.0392	< LOQ	< LOQ	
CBD	0.0005	< LOQ	< LOQ	
CBDA	0.0005	< LOQ	< LOQ	
CBDV	0.1040	< LOQ	< LOQ	
CBDVA	0.0341	< LOQ	< LOQ	
CBN	0.0622	< LOQ	< LOQ	
CBG	0.0164	< LOQ	< LOQ	
CBGA	0.0164	< LOQ	< LOQ	
CBC	0.0186	< LOQ	< LOQ	
Total Cannabinoids		96.53	965.3	

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.

THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025



ISO 17025
ACCREDITED
LABORATORY

Nolan Mundie
Lab Director - 5/14/2024

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Quality Control Potency

Batch: 2418064 - 215-Concentrates

Blank(2418064-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		05/04/24 10:04	05/04/24 14:06	
delta 9-THC	< LOQ	0.0005	%		05/04/24 10:04	05/04/24 14:06	
delta 8-THC	< LOQ	0.0934	%		05/04/24 10:04	05/04/24 14:06	
THCV	< LOQ	0.1052	%		05/04/24 10:04	05/04/24 14:06	
THCVA	< LOQ	0.0392	%		05/04/24 10:04	05/04/24 14:06	
CBD	< LOQ	0.0005	%		05/04/24 10:04	05/04/24 14:06	
CBDA	< LOQ	0.0005	%		05/04/24 10:04	05/04/24 14:06	
CBDV	< LOQ	0.1040	%		05/04/24 10:04	05/04/24 14:06	
CBDVA	< LOQ	0.0341	%		05/04/24 10:04	05/04/24 14:06	
CBN	< LOQ	0.0622	%		05/04/24 10:04	05/04/24 14:06	
CBG	< LOQ	0.0164	%		05/04/24 10:04	05/04/24 14:06	
CBGA	< LOQ	0.0164	%		05/04/24 10:04	05/04/24 14:06	
CBC	< LOQ	0.0186	%		05/04/24 10:04	05/04/24 14:06	

Reference(2418064-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	102	0.00005	%	90-110	05/04/24 10:04	05/04/24 14:29	
delta 9-THC	93.9	0.00005	%	90-110	05/04/24 10:04	05/04/24 14:29	
delta 8-THC	102	0.0088	%	90-110	05/04/24 10:04	05/04/24 14:29	
CBD	97.4	0.00005	%	90-110	05/04/24 10:04	05/04/24 14:29	
CBDA	95.8	0.00005	%	90-110	05/04/24 10:04	05/04/24 14:29	



Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received.
Results do not include uncertainty of measurements. Available upon request.

ATM	Non-cannabis matrix related interference or suppression of Internal standard
BLI	Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
C	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed
	manually for all samples.
	Internal Standard concentration outside control limit due to matrix interference