



Certificate of Analysis



Sample: DE40425020-009
Seed to Sale# 1A4000B00010D25000004765
Sample Size Received: 355 gram
Total Amount: 355 gram
Retail Product Size: 355 gram
Retail Serving Size: 355 gram
Servings: 1
Ordered: 04/23/24
Sampled: 04/25/24
Completed: 04/27/24

Apr 27, 2024 | Nano Hemp Tech Labs

License # 405R-00011

22936 Kuykendahl Rd
Spring, TX, 77389, US

PASSED


Pages 1 of 2

SAFETY RESULTS

Icon	Category	Result
	Pesticides	NOT TESTED
	Heavy Metals	NOT TESTED
	Microbials	NOT TESTED
	Mycotoxins	NOT TESTED
	Residuals Solvents	NOT TESTED
	Filth	NOT TESTED
	Water Activity	NOT TESTED
	Moisture	NOT TESTED
	Homogeneity Testing	NOT TESTED
	Terpenes	NOT TESTED

MISC.

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 2721, 2950, 2791, 3313	Weight: 1.0032g	Extraction date: 04/26/24 11:33:41	Extracted by: 2721
-------------------------------------	-----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.039.CO	Reviewed On : 04/27/24 16:00:51
Analytical Batch : DE007711POT	Batch Date : 04/26/24 07:02:15
Instrument Used : Agilent 1100 "Liger"	
Analyzed Date : 04/26/24 13:47:26	

Dilution : 3
Reagent : 031824.R20; 042424.R03; 040224.R09; 011624.R11; 042624.R01; 040324.O2
Consumables : 2214520075; 2014919; 00344593-5; 0000179471; 303122060; 112023CH01; 41141-130C4-130D; 61892-307C6-307E
Pipette : POT- 20E73244; POT- 20E74976; POT- 20K63477; P1000 - 20B29164-A; P200- 6507768

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

Stephen Goldman
Lab Director

State License # 405R-00011
405-00008
ISO 17025 Accreditation # 4331.01



Signature
04/27/24



879 Federal Blvd
Denver, CO, 80204, US
(303) 427-2379

Kaycha Labs

BLITZD - LEMONADE - BLUE RAZZ

Matrix : Infused

Type: Beverage



Certificate of Analysis

PASSED

Nano Hemp Tech Labs

22936 Kuykendahl Rd
Spring, TX, 77389, US
Telephone: (281) 541-0047
Email: info@nanohemptechlabs.com
License #: 405R-00011

Sample : DE40425020-009

Sampled : 04/25/24
Ordered : 04/25/24

Sample Size Received : 355 gram
Total Amount : 355 gram
Completed : 04/27/24 Expires: 04/27/25
Sample Method : SOP Client Method

Page 2 of 2

COMMENTS

* Cannabinoid DE40425020-009POT

1 - Measurement Uncertainty for delta-9 THC (wt%, Infused) 95% interval : 0.07, Measurement Uncertainty for THCA (wt%, Infused) 95% interval : 0.05

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

Stephen Goldman

Lab Director

State License # 405R-00011
405-00008

ISO 17025 Accreditation # 4331.01

Signature
04/27/24