

### **Hemp Quality Assurance Testing** CERTIFICATE OF ANALYSIS

**DATE ISSUED 03/24/2025** 

#### SAMPLE DETAILS

SAMPLE NAME: Kiva Camino Hemp Wild Cherry

Infused, Solid Edible

**CULTIVATOR / MANUFACTURER** 

Business Name: Atlantic Candy

Company

License Number:

Address:

St Augustine FL 32086

SAMPLE DETAIL

Batch Number: KV04250313-54704

Sample ID: 250318M010

**DISTRIBUTOR / TESTED FOR** 

Business Name: Kiva Products, LLC

License Number:

Address: 2300 N Loop Rd. Alameda CA 94502

Date Collected: 03/18/2025 Date Received: 03/18/2025

Batch Size:

Sample Size: 1.0 units

Unit Mass: 72.15 grams per Unit

Serving Size: 3.6075 grams per Serving





Scan QR code to verify authenticity of results

#### **CANNABINOID ANALYSIS - SUMMARY**

Total THC: 101.876 mg/unit

**Total CBD: Not Detected** 

Sum of Cannabinoids: 105.267 mg/unit

Total Cannabinoids: 105.267 mg/unit

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step: Total THC =  $\Delta^9$ -THC + (THCa (0.877))

Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids =  $\Delta^9$ -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa +  $\Delta$ 8-THC + CBL + CBN Total Cannabinoids =  $(\Delta^9$ -THC+0.877\*THCa) + (CBD+0.877\*CBDa) + (CBG+0.877\*CBGa) + (THCV+0.877\*THCVa) + (CBC+0.877\*CBCa) +

(CBDV+0.877\*CBDVa) +  $\Delta$ <sup>8</sup>-THC + CBL + CBN

#### **TERPENOID ANALYSIS - SUMMARY**

39 TESTED, TOP 3 HIGHLIGHTED

Total Terpenoids: <LOQ

β-Caryophyllene <LOQ Limon<mark>ene <LOQ</mark>



#### SAFETY ANALYSIS - SUMMARY

 $\Delta^9$ -THC per Unit:  $\bigcirc$  PASS

 $\Delta^9$ -THC per Serving:  $\bigcirc$  PASS

Mycotoxins: PASS

Residual Solvents: PASS

Heavy Metals: PASS

Pesticides: PASS

Microbiology (Plating): ND

Foreign Material: PASS Water Activity: PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code, Reference: Sections 26100, 26104 and 26110. Business and Professions Code,

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications. FAIL - Results exceed limits/specifications

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT),  $\mu g/g = ppm, \mu g/kg = ppb,$  too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

LQC verified by: Josh Antunovich Job Title: Laboratory Director Date: 03/24/2025

Approved by: Josh Wurzer Title: Chief Compliance Officer Date: 03/24/2025

Amendment to Certificate of Analysis 250318M010-001







# Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 101.876 mg/unit

Total THC (Δ<sup>9</sup>-THC+0.877\*THCa)

**TOTAL CBD: Not Detected** 

Total CBD (CBD+0.877\*CBDa)

TOTAL CANNABINOIDS: 105.267 mg/unit

$$\label{eq:total_constraint} \begin{split} & Total \ Cannabinoids \ (Total \ THC) + (Total \ CBD) + (Total \ CBC) + (Total \ CBC) + (Total \ CBDV) + \Delta^8 - THC + CBL + CBN \end{split}$$

TOTAL CBG: 2.886 mg/unit

Total CBG (CBG+0.877\*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877\*THCVa)

TOTAL CBC: ND

Total CBC (CBC+0.877\*CBCa)

TOTAL CBDV: ND

Total CBDV (CBDV+0.877\*CBDVa)

#### **CANNABINOID TEST RESULTS - 03/19/2025**

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
$\Delta^9$ -THC	0.002 / 0.014	±0.0775	1.412	0.1412
CBG	0.002 / 0.006	±0.0019	0.040	0.0040
CBN	0.001 / 0.007	±0.0002	0.007	0.0007
$\Delta^8$ -THC	0.01 / 0.02	N/A	ND	ND
THCa	0.001 / 0.005	N/A	ND	ND
THCV	0.002 / 0.012	N/A	ND	ND
THCVa	0.002 / 0.019	N/A	ND	ND
CBD	0.004 / 0.011	N/A	ND	ND
CBDa	0.001 / 0.026	N/A	ND	ND
CBDV	0.002 / 0.012	N/A	ND	ND
CBDVa	0.001 / 0.018	N/A	ND	ND
CBGa	0.002 / 0.007	N/A	ND	ND
CBL	0.003 / 0.010	N/A	ND	ND
СВС	0.003 / 0.010	N/A	ND	ND
CBCa	0.001 / 0.015	N/A	ND	ND
SUM OF CANNA	BINOIDS		1.459 mg/g	0.1459%

#### Unit Mass: 72.15 grams per Unit / Serving Size: 3.6075 grams per Serving

$\Delta^9$ -THC per Unit	110 per-package limit	101.876 mg/unit PASS
Δ <sup>9</sup> -THC per Serving		5.094 mg/serving PASS
Total THC per Unit		101.876 mg/unit
Total THC per Serving		5.094 mg/serving
CBD per Unit		ND
CBD per Serving		ND
Total CBD per Unit		ND
Total CBD per Serving		ND
Sum of Cannabinoids per Unit		105.267 mg/unit
Sum of Cannabinoids per Serving		5.263 mg/serving
Total Cannabinoids per Unit		105.267 mg/unit
Total Cannabinoids per Serving		5.263 mg/serving



# Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED 03/24/2025





## **Terpenoid Analysis**

Terpene analysis utilizing gas chromatographyflame ionization detection (GC-FID).

Method: QSP 1192 - Analysis of Terpenoids by GC-FID



#### **β-Caryophyllene**

A sesquiterpene with a fragrance that can be described as spicy, woody, dry, dusty and mildly sweet. It was one of the first organic compounds to fully synthesized in a laboratory and plays a role in the endocannabinoid system as it is a functional CB<sub>2</sub> receptor agonist. Found in black pepper, clove, hops, rosemary, black-jack, perilla, spicebush, Indian pennywort, celery, frankincense, vitex, parsley, marigold, tamarind...etc.



#### Limonene

A monoterpene with a fragrance that can be described as orangey, citrusy, sweet and tart. It is most commonly found in nature as D-Limonene and is a primary contributor to the distinct scent of orange peels, from which it is commonly derived. Found in numerous pines, red maple, silver maple, aspens, cottonwoods, hemlocks, sumac, cedar, junipers...etc.



#### Linalool

A monoterpenoid alcohol with a fragrance that can be described as spicy, waxy, citrus and floral. It is commonly used as an insecticide against cockroaches, flies, fleas and other insects. Found in bail, lavender, cinnamon, hops, mugwort, goldenrods...etc.

#### **TERPENOID TEST RESULTS - 03/21/2025**

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
β-Caryophyllene	0.004 / 0.012	N/A	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Limonene	0.005 / 0.036	N/A	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Linalool	0.009 / 0.036	N/A	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
p-Cymene	0.005 / 0.016	N/A	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Bisabolol	0.008 / 0.026	N/A	ND	ND
α-Cedrene	0.005 / 0.016	N/A	ND	ND
α-Humulene	0.009 / 0.180	N/A	ND	ND
$\alpha$ -Phellandrene	0.006 / 0.036	N/A	ND	ND
α-Pinene	0.005 / 0.036	N/A	ND	ND
α-Terpinene	0.005 / 0.017	N/A	ND	ND
β-Ocimene	0.006 / 0.025	N/A	ND	ND
β-Pinene	0.004 / 0.014	N/A	ND	ND
Borneol	0.005 / 0.016	N/A	ND	ND
Camphene	0.005 / 0.015	N/A	ND	ND
Camphor	0.006 / 0.036	N/A	ND	ND
Caryophyllene Oxide	0.010 / 0.033	N/A	ND	ND
Cedrol	0.008 / 0.027	N/A	ND	ND
Citronellol	0.003 / 0.036	N/A	ND	ND
$\Delta^3$ -Carene	0.005 / 0.018	N/A	ND	ND
Eucalyptol	0.006 / 0.018	N/A	ND	ND
Fenchol	0.010 / 0.036	N/A	ND	ND
Fenchone	0.009 / 0.036	N/A	ND	ND
γ-Terpinene	0.006 / 0.018	N/A	ND	ND
Geraniol	0.002 / 0.036	N/A	ND	ND
Geranyl Acetate	0.004/0.036	N/A	ND	ND
Guaiol	0.00 <mark>9/0.030</mark>	N/A	ND	ND
Isoborneol	0.004/0.012	N/A	ND	ND
Isopulegol	0.005 / 0.036	N/A	ND	ND
Menthol	0.008 / 0.025	N/A	ND	ND
Myrcene	0.008 / 0.025	N/A	ND	ND
Nerol	0.003 / 0.036	N/A	ND	ND
Nerolidol	0.006 / 0.021	N/A	ND	ND
Pulegone	0.003 / 0.011	N/A	ND	ND
Sabinene	0.004 / 0.014	N/A	ND	ND
Sabinene Hydrate	0.006 / 0.036	N/A	ND	ND
Terpineol	0.009/0.031	N/A	ND	ND
Terpinolene	0.008 / 0.036	N/A	ND	ND
trans-β-Farnesene	0.008 / 0.025	N/A	ND	ND
Valencene	0.009 / 0.180	N/A	ND	ND
TOTAL TERPENOIDS			<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>







### **Pesticide Analysis**

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS). ‡Analytes part of our California Select Panel.

\*GC-MS utilized where indicated.

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

#### PESTICIDE TEST RESULTS - 03/21/2025 PASS

Abamectin         0.032 / 0.097         0.3         N/A         ND         PASS           Acepulate         0.006 / 0.018         5         N/A         ND         PASS           Acequinocyl         0.009 / 0.027         4         N/A         ND         PASS           Acetamiprid         0.016 / 0.049         5         N/A         ND         PASS           Aldicarb         0.030 / 0.092         N/A         ND         PASS           Allethrin         0.030 / 0.092         N/A         ND           Atrazine         0.006 / 0.019         N/A         ND           Azadirachtin         0.082 / 0.248         N/A         ND           Azoxystrobin         0.003 / 0.009         40         N/A         ND           Benzovindiflupyr         0.003 / 0.009         5         N/A         ND         PASS           Benzovindiflupyr         0.003 / 0.009         5         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         0.5         N/A         ND         PASS           Boscalid         0.003 / 0.009         10         N/A         ND         PASS           Buprofezin¹         0.004 / 0.013         5         N/A	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Acequinocyl         0.009/0.027         4         N/A         ND         PASS           Acetamiprid         0.016/0.049         5         N/A         ND         PASS           Aldicarb         0.030/0.090         ≥ LOD         N/A         ND         PASS           Allethrin         0.030/0.092         N/A         ND         NA           Atrazine         0.006/0.019         N/A         ND         Azadirachtin         0.082/0.248         N/A         ND           Azadirachtin         0.082/0.248         N/A         ND         PASS           Benzovindiflupyr         0.003/0.009         40         N/A         ND         PASS           Benzovindiflupyr         0.003/0.009         5         N/A         ND         PASS           Bifenthrin         0.021/0.064         0.5         N/A         ND         PASS           Boscalid         0.003/0.009         10         N/A         ND         PASS           Boscalid         0.003/0.009         10         N/A         ND         PASS           Carbaryl         0.004/0.0135         5         N/A         ND         PASS           Carbaryl         0.007/0.020         0.5         N/A	Abamectin	0.032 / 0.097	0.3	N/A	ND	PASS
Acetamiprid         0.016/0.049         5         N/A         ND         PASS           Aldicarb         0.030/0.090         ≥ LOD         N/A         ND         PASS           Allethrin         0.030/0.092         N/A         ND         ND           Atrazine         0.006/0.019         N/A         ND         ND           Azadirachtin         0.082/0.248         N/A         ND         PASS           Benzovindiflupyr         0.003/0.009         40         N/A         ND         PASS           Benzovindiflupyr         0.003/0.009         5         N/A         ND         PASS           Bifenthrin         0.021/0.064         0.5         N/A         ND         PASS           Boscalid         0.003/0.009         10         N/A         ND         PASS           Buprofezin¹         0.006/0.019         N/A         ND         PASS           Carbanyl         0.007/0.020         0.5         N/A         ND         PASS           Carbanyl         0.007/0.020         0.5         N/A         ND         PASS           Chlorantraniliprole         0.006/0.018         40         N/A         ND         PASS           Chlordenapyr*	Acephate	0.006 / 0.018	5	N/A	ND	PASS
Aldicarb         0.030 / 0.090         ≥ LOD         N/A         ND         PASS           Allethrin         0.030 / 0.092         N/A         ND           Atrazine         0.006 / 0.019         N/A         ND           Azadirachtin         0.082 / 0.248         N/A         ND           Azoxystrobin         0.003 / 0.009         40         N/A         ND           Bifenazate         0.003 / 0.009         5         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         0.5         N/A         ND         PASS           Boscalid         0.003 / 0.009         10         N/A         ND         PASS           Buprofezin†         0.006 / 0.019         N/A         ND         PASS           Buprofezin†         0.006 / 0.019         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.5         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.5         N/A         ND         PASS           Chlorantaniliprole         0.004 / 0.018         40         N/A         ND         PASS           Chlordan*         0.010 / 0.032         ≥ LOD         N/A         ND	Acequinocyl	0.009 / 0.027	4	N/A	ND	PASS
Allethrin         0.030/0.092         N/A         ND           Atrazine         0.006/0.019         N/A         ND           Azadirachtin         0.082/0.248         N/A         ND           Azoxystrobin         0.003/0.009         40         N/A         ND           Benzovindifflupyr         0.003/0.009         5         N/A         ND           Bifenzate         0.003/0.009         5         N/A         ND         PASS           Bifenthrin         0.021/0.064         0.5         N/A         ND         PASS           Boscalid         0.003/0.009         10         N/A         ND         PASS           Buprofezin¹         0.006/0.019         N/A         ND         PASS           Carban         0.045/0.135         5         N/A         ND         PASS           Carbaryl         0.007/0.020         0.5         N/A         ND         PASS           Carboryl         0.006/0.018         40         N/A         ND         PASS           Chlorantraniliprole         0.006/0.018         40         N/A         ND         PASS           Chlordrane*         0.010/0.032         ≥ LOD         N/A         ND         PASS <th>Acetamiprid</th> <td>0.016 / 0.049</td> <td>5</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Acetamiprid	0.016 / 0.049	5	N/A	ND	PASS
Atrazine         0.006 / 0.019         N/A         ND           Azadirachtin         0.082 / 0.248         N/A         ND           Azoxystrobin         0.003 / 0.009         40         N/A         ND           Benzovindiflupyr         0.003 / 0.009         N/A         ND           Bifenazate         0.003 / 0.009         5         N/A         ND           Bifenthrin         0.021 / 0.064         0.5         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         0.5         N/A         ND         PASS           Buprofezir¹         0.006 / 0.019         N/A         ND         PASS           Buprofezir¹         0.006 / 0.019         N/A         ND         PASS           Carban         0.045 / 0.135         5         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.5         N/A         ND         PASS           Carbofuran         0.003 / 0.008         ≥ LOD         N/A         ND         PASS           Chlordane*         0.010 / 0.032         ≥ LOD         N/A         ND         PASS           Chlordane*         0.010 / 0.032         ≥ LOD         N/A         ND         PASS<	Aldicarb	0.030 / 0.090	≥ LOD	N/A	ND	PASS
Azadirachtin         0.082/0.248         N/A         ND           Azoxystrobin         0.003/0.009         40         N/A         ND         PASS           Benzovindiflupyr         0.003/0.009         N/A         ND         PASS           Bifentazate         0.003/0.009         5         N/A         ND         PASS           Bifenthrin         0.021/0.064         0.5         N/A         ND         PASS           Boscalid         0.003/0.009         10         N/A         ND         PASS           Buprofezin¹         0.006/0.019         N/A         ND         PASS           Carban         0.045/0.135         5         N/A         ND         PASS           Carbaryl         0.007/0.020         0.5         N/A         ND         PASS           Chlorantraniliprole         0.004/0.018         40         N/A         ND         PASS           Chlordane*         0.010/0.032         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022/0.066         N/A         ND         PASS           Chlormequat chloride         0.022/0.066         N/A         ND         PASS           Clofentezine         0.003/0.01	Allethrin	0.030 / 0.092		N/A	ND	
Azoxystrobin         0.003 / 0.009         40         N/A         ND         PASS           Benzovindiflupyr         0.003 / 0.009         N/A         ND         PASS           Bifenazate         0.003 / 0.009         5         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         0.5         N/A         ND         PASS           Boscalid         0.003 / 0.009         10         N/A         ND         PASS           Buprofezin¹         0.006 / 0.019         N/A         ND         PASS           Carban         0.045 / 0.135         5         N/A         ND         PASS           Carboryl         0.007 / 0.020         0.5         N/A         ND         PASS           Carborturan         0.003 / 0.008         ≥ LOD         N/A         ND         PASS           Chloratraniliprole         0.004 / 0.018         40         N/A         ND         PASS           Chlordane*         0.010 / 0.032         ≥ LOD         N/A         ND         PASS           Chlorequat chloride         0.022 / 0.066         N/A         ND         PASS           Chlorepyfrios         0.013 / 0.039         ≥ LOD         N/A         ND <t< td=""><th>Atrazine</th><td>0.006 / 0.019</td><td></td><td>N/A</td><td>ND</td><td></td></t<>	Atrazine	0.006 / 0.019		N/A	ND	
Benzovindiflupyr         0.003 / 0.009         N/A         ND           Bifenazate         0.003 / 0.009         5         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         0.5         N/A         ND         PASS           Boscalid         0.003 / 0.009         10         N/A         ND         PASS           Buprofezin¹         0.006 / 0.019         N/A         ND         PASS           Carban         0.045 / 0.135         5         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.5         N/A         ND         PASS           Carbofuran         0.003 / 0.008         ≥ LOD         N/A         ND         PASS           Chlorattraniliprole         0.006 / 0.018         40         N/A         ND         PASS           Chlordan**         0.010 / 0.032         ≥ LOD         N/A         ND         PASS           Chlordany**         0.005 / 0.015         ≥ LOD         N/A         ND         PASS           Chlordany**         0.002 / 0.066         N/A         ND         PASS           Chlorpyrifos         0.013 / 0.039         ≥ LOD         N/A         ND         PASS <tr< td=""><th>Azadirachtin</th><td>0.082 / 0.248</td><td></td><td>N/A</td><td>ND</td><td></td></tr<>	Azadirachtin	0.082 / 0.248		N/A	ND	
Bifenazate         0.003 / 0.009         5         N/A         ND         PASS           Bifenthrin         0.021 / 0.064         0.5         N/A         ND         PASS           Boscalid         0.003 / 0.009         10         N/A         ND         PASS           Buprofezin¹         0.006 / 0.019         N/A         ND         PASS           Captan         0.045 / 0.135         5         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.5         N/A         ND         PASS           Carbofuran         0.003 / 0.008         ≥ LOD         N/A         ND         PASS           Chlorantraniliprole         0.006 / 0.018         40         N/A         ND         PASS           Chlordane*         0.010 / 0.032         ≥ LOD         N/A         ND         PASS           Chlordenapyr*         0.005 / 0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022 / 0.066         N/A         ND         PASS           Chlormequat chloride         0.022 / 0.066         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.5         N/A         ND	Azoxystrobin	0.003 / 0.009	40	N/A	ND	PASS
Bifenthrin         0.021/0.064         0.5         N/A         ND         PASS           Boscalid         0.003/0.009         10         N/A         ND         PASS           Buprofezin†         0.006/0.019         N/A         ND         PASS           Captan         0.045/0.135         5         N/A         ND         PASS           Carboryl         0.007/0.020         0.5         N/A         ND         PASS           Carbofuran         0.003/0.008         ≥ LOD         N/A         ND         PASS           Chlorantraniliprole         0.006/0.018         40         N/A         ND         PASS           Chlordane*         0.010/0.032         ≥ LOD         N/A         ND         PASS           Chlorfenapyr*         0.005/0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022/0.066         N/A         ND         PASS           Clofentezine         0.003/0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003/0.009         0.5         N/A         ND         PASS           Clothianidin         0.003/0.010         ≥ LOD         N/A         ND         <	Benzovindiflupyr	0.003 / 0.009		N/A	ND	
Boscalid         0.003 / 0.009         10         N/A         ND         PASS           Buprofezin <sup>‡</sup> 0.006 / 0.019         N/A         ND         Captan         0.045 / 0.135         5         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.5         N/A         ND         PASS           Carbofuran         0.003 / 0.008         ≥ LOD         N/A         ND         PASS           Chlorantraniliprole         0.006 / 0.018         40         N/A         ND         PASS           Chlordane*         0.010 / 0.032         ≥ LOD         N/A         ND         PASS           Chlorfenapyr*         0.005 / 0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022 / 0.066         N/A         ND         PASS           Clofentezine         0.003 / 0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003 / 0.025         N/A         ND         PASS           Clothianidin         0.008 / 0.025         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         ≥ LOD         N/A         ND         PASS           Cyper	Bifenazate	0.003 / 0.009	5	N/A	ND	PASS
Buprofezin†         0.006 / 0.019         N/A         ND           Captan         0.045 / 0.135         5         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.5         N/A         ND         PASS           Carbofuran         0.003 / 0.008         ≥ LOD         N/A         ND         PASS           Chlorantraniliprole         0.006 / 0.018         40         N/A         ND         PASS           Chlordane*         0.010 / 0.032         ≥ LOD         N/A         ND         PASS           Chlordane*         0.005 / 0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022 / 0.066         N/A         ND         PASS           Chlorpyrifos         0.013 / 0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003 / 0.099         0.5         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.5         N/A         ND         PASS           Clothianidin         0.008 / 0.025         N/A         ND         PASS           Cyprotiniliprole         0.003 / 0.010         N/A         ND         PASS	Bifenthrin	0.021 / 0.064	0.5	N/A	ND	PASS
Captan         0.045 / 0.135         5         N/A         ND         PASS           Carbaryl         0.007 / 0.020         0.5         N/A         ND         PASS           Carbofuran         0.003 / 0.008         ≥ LOD         N/A         ND         PASS           Chlorantraniliprole         0.006 / 0.018         40         N/A         ND         PASS           Chlordane*         0.010 / 0.032         ≥ LOD         N/A         ND         PASS           Chlordaneyr*         0.005 / 0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022 / 0.066         N/A         ND         PASS           Chlorpyrifos         0.013 / 0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.5         N/A         ND         PASS           Clothianidin         0.008 / 0.025         N/A         ND         PASS           Clothianidin         0.008 / 0.025         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         N/A         ND         PASS           Cyprodinili         0.003 / 0.010         N/A         ND         PASS <t< td=""><th>Boscalid</th><td>0.003 / 0.009</td><td>10</td><td>N/A</td><td>ND</td><td>PASS</td></t<>	Boscalid	0.003 / 0.009	10	N/A	ND	PASS
Carbaryl         0.007/0.020         0.5         N/A         ND         PASS           Carbofuran         0.003/0.008         ≥ LOD         N/A         ND         PASS           Chlorantraniliprole         0.006/0.018         40         N/A         ND         PASS           Chlordane*         0.010/0.032         ≥ LOD         N/A         ND         PASS           Chlordane*         0.005/0.015         ≥ LOD         N/A         ND         PASS           Chlordane*         0.005/0.015         ≥ LOD         N/A         ND         PASS           Chlordane*         0.005/0.016         N/A         ND         PASS           Chlordane*         0.005/0.016         N/A         ND         PASS           Chlordane*         0.005/0.009         0.5         N/A         ND         PASS           Chlordane*         0.003/0.009         0.5         N/A         ND         PASS           Clofentezine         0.003/0.009         0.5         N/A         ND         PASS           Clothianidin         0.003/0.009         0.5         N/A         ND         PASS           Cyantraniliprole         0.003/0.010         N/A         ND         PASS	Buprofezin <sup>‡</sup>	0.006/0.019		N/A	ND	
Carbofuran         0.003/0.008         ≥ LOD         N/A         ND         PASS           Chlorantraniliprole         0.006/0.018         40         N/A         ND         PASS           Chlordane*         0.010/0.032         ≥ LOD         N/A         ND         PASS           Chlorfenapyr*         0.005/0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022/0.066         N/A         ND         ND         PASS           Chlorpyrifos         0.013/0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003/0.009         0.5         N/A         ND         PASS           Clofentezine         0.003/0.009         0.5         N/A         ND         PASS           Clofentezine         0.003/0.001         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003/0.0025         N/A         ND         PASS           Clothianidin         0.003/0.010         ≥ LOD         N/A         ND         PASS           Cyantraniliprole         0.003/0.010         N/A         ND         PASS         Cyantraniliprole         0.003/0.010         N/A         ND         PASS <th>Captan</th> <td>0.045 / 0.135</td> <td>5</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Captan	0.045 / 0.135	5	N/A	ND	PASS
Chlorantraniliprole         0.006/0.018         40         N/A         ND         PASS           Chlordane*         0.010/0.032         ≥ LOD         N/A         ND         PASS           Chlorfenapyr*         0.005/0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022/0.066         N/A         ND         ND         PASS           Chlorpyrifos         0.013/0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003/0.009         0.5         N/A         ND         PASS           Clothianidin         0.008/0.025         N/A         ND         PASS           Coumaphos         0.003/0.010         ≥ LOD         N/A         ND         PASS           Cyfluthrin         0.052/0.159         1         N/A         ND         PASS           Cypremethrin         0.051/0.153         1         N/A         ND         PASS           Cyprodinil*         0.003/0.008         N/A         ND         PASS           Cyprodinil*         0.004/0.017         ≥ LOD         N/A         ND         PASS           Dilatinon         0.006/0.017         0.2         N/A         ND	Carbaryl	0.007 / 0.020	0.5	N/A	ND	PASS
Chlordane*         0.010/0.032         ≥ LOD         N/A         ND         PASS           Chlorfenapyr*         0.005/0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022/0.066         N/A         ND         ND           Chlorpyrifos         0.013/0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003/0.009         0.5         N/A         ND         PASS           Clothianidin         0.008/0.025         N/A         ND         PASS           Clothianidin         0.008/0.025         N/A         ND         PASS           Cyantraniliprole         0.003/0.010         ≥ LOD         N/A         ND         PASS           Cyfluthrin         0.052/0.159         1         N/A         ND         PASS           Cypremethrin         0.051/0.153         1         N/A         ND         PASS           Cyprodinil*         0.003/0.008         N/A         ND         PASS           Cyprodinil*         0.004/0.077         ≥ LOD         N/A         ND         PASS           Deltamethrin         0.059/0.180         N/A         ND         PASS           Dichlorvo	Carbofuran	0.003 / 0.008	≥LOD	N/A	ND	PASS
Chlorfenapyr*         0.005 / 0.015         ≥ LOD         N/A         ND         PASS           Chlormequat chloride         0.022 / 0.066         N/A         ND           Chlorpyrifos         0.013 / 0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.5         N/A         ND         PASS           Clothianidin         0.008 / 0.025         N/A         ND         ND         PASS           Clothianidin         0.003 / 0.010         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         N/A         ND         PASS           Cyfluthrin         0.052 / 0.159         1         N/A         ND         PASS           Cypremethrin         0.051 / 0.153         1         N/A         ND         PASS           Cyprodinil*         0.003 / 0.008         N/A         ND         PASS           Cyprodinil*         0.003 / 0.008         N/A         ND         PASS           Deltamethrin         0.059 / 0.180         N/A         ND         PASS           Diazinon         0.006 / 0.017         0.2         N/A         ND         PASS           Dimethoate         0.003	Chlorantraniliprole	0.006 / 0.018	40	N/A	ND	PASS
Chlormequat chloride         0.022 / 0.066         N/A         ND           Chlorpyrifos         0.013 / 0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.5         N/A         ND         PASS           Clothianidin         0.008 / 0.025         N/A         ND         ND         PASS           Coumaphos         0.003 / 0.010         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         N/A         ND         PASS           Cyfluthrin         0.052 / 0.159         1         N/A         ND         PASS           Cypermethrin         0.051 / 0.153         1         N/A         ND         PASS           Cyprodinil*         0.003 / 0.008         N/A         ND         PASS           Cyprodinil*         0.003 / 0.008         N/A         ND         PASS           Deltamethrin         0.059 / 0.180         N/A         ND         PASS           Diazinon         0.006 / 0.017         0.2         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0	Chlordane*	0.010 / 0.032	≥LOD	N/A	ND	PASS
Chlorpyrifos         0.013 / 0.039         ≥ LOD         N/A         ND         PASS           Clofentezine         0.003 / 0.009         0.5         N/A         ND         PASS           Clothianidin         0.008 / 0.025         N/A         ND         ND           Coumaphos         0.003 / 0.010         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         N/A         ND         PASS           Cyfluthrin         0.052 / 0.159         1         N/A         ND         PASS           Cypermethrin         0.051 / 0.153         1         N/A         ND         PASS           Cyprodinil†         0.003 / 0.008         N/A         ND         PASS           Deltamethrin         0.059 / 0.180         N/A         ND         PASS           Diazinon         0.006 / 0.017         0.2         N/A         ND         PASS           Dichlorvos (DDVP)         0.012 / 0.038         ≥ LOD         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0.050         20         N/A         ND         PASS <t< td=""><th>Chlorfenapyr*</th><td>0.005 / 0.015</td><td>≥LOD</td><td>N/A</td><td>ND</td><td>PASS</td></t<>	Chlorfenapyr*	0.005 / 0.015	≥LOD	N/A	ND	PASS
Clofentezine         0.003 / 0.009         0.5         N/A         ND         PASS           Clothianidin         0.008 / 0.025         N/A         ND         ND           Coumaphos         0.003 / 0.010         ≥ LOD         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         N/A         ND         ND         PASS           Cyfluthrin         0.052 / 0.159         1         N/A         ND         PASS           Cypremethrin         0.051 / 0.153         1         N/A         ND         PASS           Cyprodinil <sup>‡</sup> 0.003 / 0.008         N/A         ND         PASS           Deltamethrin         0.026 / 0.077         ≥ LOD         N/A         ND         PASS           Dichlorvos (DDVP)         0.012 / 0.038         ≥ LOD         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0.050         20         N/A         ND         PASS           Dinotefuran         0.010 / 0.030         N/A         ND         ND         PASS           Dinotefuran         0.012 / 0.035         N/A         ND	Chlormequat chloride	0.022 / 0.066		N/A	ND	
Clothianidin $0.008/0.025$ N/A         ND           Coumaphos $0.003/0.010$ ≥ LOD         N/A         ND         PASS           Cyantraniliprole $0.003/0.010$ N/A         ND         PASS           Cyfluthrin $0.052/0.159$ 1         N/A         ND         PASS           Cypermethrin $0.051/0.153$ 1         N/A         ND         PASS           Cyprodinil‡ $0.003/0.008$ N/A         ND         PASS           Cyprodinil‡ $0.003/0.008$ N/A         ND         PASS           Deltamethrin $0.059/0.180$ N/A         ND         PASS           Deltamethrin $0.059/0.180$ N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ ≥ LOD         N/A         ND         PASS           Dimethoate $0.003/0.009$ ≥ LOD         N/A         ND         PASS           Dimethomorph $0.016/0.050$ 20         N/A         ND         PASS           Dinotefuran $0.010/0.030$ N/A         ND         ND           Diuron $0.013/0.040$ N/A<	Chlorpyrifos	0.013 / 0.039	≥LOD	N/A	ND	PASS
Coumaphos         0.003 / 0.010         ≥ LOD         N/A         ND         PASS           Cyantraniliprole         0.003 / 0.010         N/A         ND         ND           Cyfluthrin         0.052 / 0.159         1         N/A         ND         PASS           Cypermethrin         0.051 / 0.153         1         N/A         ND         PASS           Cyprodinil <sup>‡</sup> 0.003 / 0.008         N/A         ND         PASS           Cyprodinil <sup>‡</sup> 0.003 / 0.008         N/A         ND         PASS           Deltamethrin         0.026 / 0.077         ≥ LOD         N/A         ND         PASS           Deltamethrin         0.059 / 0.180         N/A         ND         PASS           Dichlorvos (DDVP)         0.012 / 0.038         ≥ LOD         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0.050         20         N/A         ND         PASS           Dinotefuran         0.010 / 0.030         N/A         ND         ND           Diuron         0.013 / 0.040         N/A         ND           Dodemorph         0.016 / 0.048<	Clofentezine	0.003 / 0.009	0.5	N/A	ND	PASS
Cyantraniliprole         0.003 / 0.010         N/A         ND           Cyfluthrin         0.052 / 0.159         1         N/A         ND         PASS           Cypermethrin         0.051 / 0.153         1         N/A         ND         PASS           Cyprodinil <sup>‡</sup> 0.003 / 0.008         N/A         ND         ND           Daminozide         0.026 / 0.077         ≥ LOD         N/A         ND         PASS           Deltamethrin         0.059 / 0.180         N/A         ND         PASS           Dizajinon         0.006 / 0.017         0.2         N/A         ND         PASS           Dichlorvos (DDVP)         0.012 / 0.038         ≥ LOD         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0.050         20         N/A         ND         PASS           Dinotefuran         0.010 / 0.030         N/A         ND         ND           Diuron         0.013 / 0.040         N/A         ND         ND           Endosulfan sulfate         0.016 / 0.048         N/A         ND         ND           Endosulfan -α*         0.004 / 0.01	Clothianidin	0.008 / 0.025		N/A	ND	
Cyfluthrin         0.052 / 0.159         1         N/A         ND         PASS           Cypermethrin         0.051 / 0.153         1         N/A         ND         PASS           Cyprodinil‡         0.003 / 0.008         N/A         ND         ND           Daminozide         0.026 / 0.077         ≥ LOD         N/A         ND         PASS           Deltamethrin         0.059 / 0.180         N/A         ND         ND         PASS           Dichlorvos (DDVP)         0.012 / 0.038         ≥ LOD         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0.050         20         N/A         ND         PASS           Dinotefuran         0.010 / 0.030         N/A         ND         ND           Diuron         0.013 / 0.040         N/A         ND           Dodemorph         0.012 / 0.035         N/A         ND           Endosulfan sulfate         0.016 / 0.048         N/A         ND           Endosulfan-α*         0.004 / 0.014         N/A         ND	Coumaphos	0.003/0.010	≥ LOD	N/A	ND	PASS
Cypermethrin $0.051/0.153$ 1         N/A         ND         PASS           Cyprodinil† $0.003/0.008$ N/A         ND         ND           Daminozide $0.026/0.077$ ≥ LOD         N/A         ND         PASS           Deltamethrin $0.059/0.180$ N/A         ND         ND         PASS           Diazinon $0.006/0.017$ $0.2$ N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ ≥ LOD         N/A         ND         PASS           Dimethoate $0.003/0.009$ ≥ LOD         N/A         ND         PASS           Dimethomorph $0.016/0.050$ 20         N/A         ND         PASS           Dinotefuran $0.010/0.030$ N/A         ND         ND           Diuron $0.013/0.040$ N/A         ND           Dodemorph $0.012/0.035$ N/A         ND           Endosulfan sulfate $0.016/0.048$ N/A         ND           Endosulfan-α* $0.004/0.014$ N/A         ND	Cyantraniliprole	0.003/0.010		N/A	ND	
Cyprodinil‡ $0.003/0.008$ N/A         ND           Daminozide $0.026/0.077$ ≥ LOD         N/A         ND         PASS           Deltamethrin $0.059/0.180$ N/A         ND         ND         PASS           Diazinon $0.006/0.017$ $0.2$ N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ ≥ LOD         N/A         ND         PASS           Dimethoate $0.003/0.009$ ≥ LOD         N/A         ND         PASS           Dimethomorph $0.016/0.050$ 20         N/A         ND         PASS           Dinotefuran $0.010/0.030$ N/A         ND         ND           Diuron $0.013/0.040$ N/A         ND           Dodemorph $0.012/0.035$ N/A         ND           Endosulfan sulfate $0.016/0.048$ N/A         ND           Endosulfan-α* $0.004/0.014$ N/A         ND	Cyfluthrin	0.052 / 0.159	1	N/A	ND	PASS
Daminozide $0.026/0.077$ ≥ LOD         N/A         ND         PASS           Deltamethrin $0.059/0.180$ N/A         ND         ND           Diazinon $0.006/0.017$ $0.2$ N/A         ND         PASS           Dichlorvos (DDVP) $0.012/0.038$ ≥ LOD         N/A         ND         PASS           Dimethoate $0.003/0.009$ ≥ LOD         N/A         ND         PASS           Dimethomorph $0.016/0.050$ 20         N/A         ND         PASS           Dinotefuran $0.010/0.030$ N/A         ND         ND           Diuron $0.013/0.040$ N/A         ND           Dodemorph $0.012/0.035$ N/A         ND           Endosulfan sulfate $0.016/0.048$ N/A         ND           Endosulfan-α* $0.004/0.014$ N/A         ND	Cypermethrin	0.051 / 0.153	1	N/A	ND	PASS
Deltamethrin         0.059 / 0.180         N/A         ND           Diazinon         0.006 / 0.017         0.2         N/A         ND         PASS           Dichlorvos (DDVP)         0.012 / 0.038         ≥ LOD         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0.050         20         N/A         ND         PASS           Dinotefuran         0.010 / 0.030         N/A         ND           Diuron         0.013 / 0.040         N/A         ND           Dodemorph         0.012 / 0.035         N/A         ND           Endosulfan sulfate         0.016 / 0.048         N/A         ND           Endosulfan-α*         0.004 / 0.014         N/A         ND	Cyprodinil <sup>‡</sup>	0.003 / 0.008		N/A	ND	
Diazinon         0.006 / 0.017         0.2         N/A         ND         PASS           Dichlorvos (DDVP)         0.012 / 0.038         ≥ LOD         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0.050         20         N/A         ND         PASS           Dinotefuran         0.010 / 0.030         N/A         ND           Diuron         0.013 / 0.040         N/A         ND           Dodemorph         0.012 / 0.035         N/A         ND           Endosulfan sulfate         0.016 / 0.048         N/A         ND           Endosulfan-α*         0.004 / 0.014         N/A         ND	Daminozide	0.026 / 0.077	≥LOD	N/A	ND	PASS
Dichlorvos (DDVP)         0.012 / 0.038         ≥ LOD         N/A         ND         PASS           Dimethoate         0.003 / 0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016 / 0.050         20         N/A         ND         PASS           Dinotefuran         0.010 / 0.030         N/A         ND           Diuron         0.013 / 0.040         N/A         ND           Dodemorph         0.012 / 0.035         N/A         ND           Endosulfan sulfate         0.016 / 0.048         N/A         ND           Endosulfan-α*         0.004 / 0.014         N/A         ND	Deltamethrin	0.059 / 0.180		N/A	ND	
Dimethoate         0.003/0.009         ≥ LOD         N/A         ND         PASS           Dimethomorph         0.016/0.050         20         N/A         ND         PASS           Dinotefuran         0.010/0.030         N/A         ND           Diuron         0.013/0.040         N/A         ND           Dodemorph         0.012/0.035         N/A         ND           Endosulfan sulfate         0.016/0.048         N/A         ND           Endosulfan-α*         0.004/0.014         N/A         ND	Diazinon	0.006 / 0.017	0.2	N/A	ND	PASS
Dimethomorph         0.016/0.050         20         N/A         ND         PASS           Dinotefuran         0.010/0.030         N/A         ND           Diuron         0.013/0.040         N/A         ND           Dodemorph         0.012/0.035         N/A         ND           Endosulfan sulfate         0.016/0.048         N/A         ND           Endosulfan-α*         0.004/0.014         N/A         ND	Dichlorvos (DDVP)	0.012 / 0.038	≥LOD	N/A	ND	PASS
Dinotefuran         0.010 / 0.030         N/A         ND           Diuron         0.013 / 0.040         N/A         ND           Dodemorph         0.012 / 0.035         N/A         ND           Endosulfan sulfate         0.016 / 0.048         N/A         ND           Endosulfan-α*         0.004 / 0.014         N/A         ND	Dimethoate	0.003 / 0.009	≥LOD	N/A	ND	PASS
Diuron         0.013 / 0.040         N/A         ND           Dodemorph         0.012 / 0.035         N/A         ND           Endosulfan sulfate         0.016 / 0.048         N/A         ND           Endosulfan-α*         0.004 / 0.014         N/A         ND	Dimethomorph	0.016 / 0.050	20	N/A	ND	PASS
Dodemorph         0.012 / 0.035         N/A         ND           Endosulfan sulfate         0.016 / 0.048         N/A         ND           Endosulfan-α*         0.004 / 0.014         N/A         ND	Dinotefuran	0.010/0.030		N/A	ND	
Endosulfan sulfate         0.016 / 0.048         N/A         ND           Endosulfan-α*         0.004 / 0.014         N/A         ND	Diuron	0.013 / 0.040		N/A	ND	
Endosulfan-α* 0.004 / 0.014 N/A ND	Dodemorph	0.012 / 0.035		N/A	ND	
	Endosulfan sulfate	0.016 / 0.048		N/A	ND	
Endosulfan-β* 0.006 / 0.019 N/A ND	Endosulfan- $\alpha^*$	0.004/0.014		N/A	ND	
	Endosulfan-β*	0.006 / 0.019		N/A	ND	



# Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED 03/24/2025





### **Pesticide Analysis** Continued

#### PESTICIDE TEST RESULTS - 03/21/2025 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (μg/g)	RESULT
Ethoprophos	0.003 / 0.009	≥LOD	N/A	ND	PASS
Etofenprox	0.014 / 0.042	≥LOD	N/A	ND	PASS
Etoxazole	0.007 / 0.020	1.5	N/A	ND	PASS
Etridiazole*	0.002 / 0.005		N/A	ND	
Fenhexamid	0.003 / 0.008	10	N/A	ND	PASS
Fenoxycarb	0.003 / 0.010	≥LOD	N/A	ND	PASS
Fenpyroximate	0.007 / 0.020	2	N/A	ND	PASS
Fensulfothion	0.003 / 0.010		N/A	ND	
Fenthion	0.003/0.010		N/A	ND	
Fenvalerate <sup>‡</sup>	0.033 / 0.099		N/A	ND	
Fipronil	0.003/0.010	≥LOD	N/A	ND	PASS
Flonicamid	0.007 / 0.022	2	N/A	ND	PASS
Fludioxonil	0.003/0.010	30	N/A	ND	PASS
Fluopyram <sup>‡</sup>	0.003/0.009		N/A	ND	
Hexythiazox	0.003 / 0.010	2	N/A	ND	PASS
Imazalil	0.003 / 0.009	≥ LOD	N/A	ND	PASS
Imidacloprid	0.003 / 0.010	3	N/A	ND	PASS
Iprodione	0.077 / 0.233		N/A	ND	
Kinoprene	0.077 / 0.233		N/A	ND	
Kresoxim-methyl	0.006 / 0.019	1	N/A	ND	PASS
λ-Cyhalothrin	0.068 / 0.206		N/A	ND	
Malathion	0.003 / 0.009	5	N/A	ND	PASS
Metalaxyl	0.003/0.010	15	N/A	ND	PASS
Methiocarb	0.003/0.008	≥LOD	N/A	ND	PASS
Methomyl	0.008/0.025	0.1	N/A	ND	PASS
Methoprene <sup>‡</sup>	0.172 / 0.521		N/A	ND	
Mevinphos	0.008 / 0.024	≥LOD	N/A	ND	PASS
MGK-264	0.015 / 0.047		N/A	ND	
Myclobutanil	0.003 / 0.009	9	N/A	ND	PASS
Naled	0.021 / 0.064	0.5	N/A	ND	PASS
Novaluron	0.002 / 0.005		N/A	ND	
Oxamyl	0.017 / 0.051	0.2	N/A	ND	PASS
Paclobutrazol	0.003 / 0.010	≥LOD	N/A	ND	PASS
Parathion-methyl	0.016 / 0.050	≥LOD	N/A	ND	PASS
Pentachloronitro- benzene (Quintozene)*	0.004 / 0.012	0.2	N/A	ND	PASS
Permethrin	0.056 / 0.168	20	N/A	ND	PASS
Phenothrin	0.016 / 0.047		N/A	ND	
Phosmet	0.007 / 0.020	0.2	N/A	ND	PASS
Piperonyl Butoxide	0.010 / 0.029	8	N/A	ND	PASS
Pirimicarb	0.003 / 0.009		N/A	ND	
Prallethrin	0.015 / 0.046	0.4	N/A	ND	PASS







### Pesticide Analysis Continued

#### PESTICIDE TEST RESULTS - 03/21/2025 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Propiconazole	0.027 / 0.080	20	N/A	ND	PASS
Propoxur	0.003 / 0.008	≥LOD	N/A	ND	PASS
Pyraclostrobin	0.003/0.010		N/A	ND	
Pyrethrins	0.016 / 0.049	1	N/A	ND	PASS
Pyridaben	0.005/0.017	3	N/A	ND	PASS
Pyriproxyfen	0.003 / 0.009		N/A	ND	
Resmethrin	0.013 / 0.039		N/A	ND	
Spinetoram	0.003/0.010	3	N/A	ND	PASS
Spinosad	0.003/0.010	3	N/A	ND	PASS
Spirodiclofen	0.031 / 0.093		N/A	ND	
Spiromesifen	0.016 / 0.050	12	N/A	ND	PASS
Spirotetramat	0.003/0.010	13	N/A	ND	PASS
Spiroxamine	0.020 / 0.062	≥LOD	N/A	ND	PASS
Tebuconazole	0.003/0.010	2	N/A	ND	PASS
Tebufenozide	0.003 / 0.008		N/A	ND	
Teflubenzuron	0.007 / 0.022		N/A	ND	
Tetrachlorvinphos	0.003 / 0.008		N/A	ND	
Tetramethrin	0.021 / 0.063		N/A	ND	
Thiabendazole	0.006 / 0.020		N/A	ND	
Thiacloprid	0.003 / 0.009	≥LOD	N/A	ND	PASS
Thiamethoxam	0.003/0.010	4.5	N/A	ND	PASS
Thiophanate-methyl	0.013 / 0.040		N/A	ND	
Trifloxystrobin	0.003 / 0.009	30	N/A	ND	PASS



# Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS

#### MYCOTOXIN TEST RESULTS - 03/21/2025 **⊘ PASS**

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (µg/kg)	MEASUREMENT UNCERTAINTY (μg/kg)	RESULT (μg/kg)	RESULT
Aflatoxin B1	1.6 / 5.0		N/A	ND	
Aflatoxin B2	1.4 / 4.1		N/A	ND	
Aflatoxin G1	1.6 / 4.9		N/A	ND	
Aflatoxin G2	1.6 / 5.0		N/A	ND	
Ochratoxin A	1.6 / 5.0	20	N/A	ND	PASS
Total Aflatoxin		20		ND	PASS







## **Residual Solvents Analysis**

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

Total Butanes = n-Butane + 2-Methylpropane (Isobutane) **Total Pentanes** = n-Pentane + 2-Methylbutane (Isopentane) + 2,2-Dimethylpropane (Neopentane)

Total Hexanes = n-Hexane + 2,2-Dimethylbutane (Neohexane) + 2,3-Dimethylbutane / 2-Methylpentane (Isohexane) +

Ethylbenzene

**Total Heptanes** = 2,2-Dimethylpentane (Neoheptane) + 2,3-Dimethylpentane + 2,4-Dimethylpentane + 3,3-Dimethylpentane + 2,2,3-Trimethylbutane (Triptane) + 2-Methylhexane (Isoheptane) +

3-Methylhexane + 3-Ethylpentane + n-Heptane **Total Xylenes** = 1,2-Dimethylbenzene (o-Xylene) + 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene) +

#### RESIDUAL SOLVENTS TEST RESULTS - 03/21/2025 **⊘ PASS**

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Propane	0.234 / 0.781	5000	N/A	ND	PASS
2-Methylpropane (Isobutane)	0.052/0.173		N/A	ND	
n-Butane	0.019 / 0.063	5000	N/A	ND	PASS
Total Butanes				ND	
2-Methylbutane (Isopentane)	0.310 / 1.035		N/A	ND	
2,2-Dimethylpropane (Neopentane)	0.035/0.117		N/A	ND	
n-Pentane	0.310 / 1.033	5000	N/A	ND	PASS
<b>Total Pentanes</b>				ND	
2,2-Dimethylbutane (Neohexane)	9.831/32.77		N/A	ND	
2,3-Dimethylbutane / 2-Methylpentane (Isohexane)	0.381 / 1.271		N/A	ND	
3-Methylpentane	0.109 / 0.365		N/A	ND	
n-Hexane	0.110 / 0.366	290	N/A	ND	PASS
Total Hexanes				ND	
Cyclohexane	0.357 / 1.190		N/A	ND	
2,2-Dimethylpentane (Neoheptane)	0.493 / 1.642		N/A	ND	
2,3-Dimethylpentane	1.009 / 3.365		N/A	ND	
2,4-Dimethylpentane	0.737 / 2.458		N/A	ND	
3,3-Dimethylpentane	0.198 / 0.660		N/A	ND	
2,2,3-Trimethylbutane (Triptane)	0.521 / 1.738		N/A	ND	
2-Methylhexane (Isoheptane)	0.610/2.034		N/A	ND	
3-Methylhexane	0.235 / 0.785		N/A	ND	
3-Ethylpentane	0.304/1.012		N/A	ND	
n-Heptane	13.12 / 43.72	5000	N/A	ND	PASS
Total Heptanes				ND	
Cycloheptane	0.597 / 1.989		N/A	ND	
Benzene	0.089 / 0.295	1	N/A	ND	PASS
Toluene	0.115 / 0.382	890	N/A	ND	PASS
Cumene	0.180 / 0.600		N/A	ND	
1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)	0.451 / 1.502		N/A	ND	
1,2-Dimethylbenzene (o-Xylene)	0.387 / 1.289		N/A	ND	
Ethylbenzene	0.370 / 1.233		N/A	ND	
Total Xylenes		2170		ND	PASS
Methanol	53.92 / 163.4	3000	N/A	ND	PASS
Ethanol	8.984 / 27.23	5000	±16.625	1065.69	PASS
1-Propanol	1.540 / 5.133		N/A	ND	
2-Propanol (Isopropyl Alcohol)	8.421 / 25.52	5000	N/A	ND	PASS







#### RESIDUAL SOLVENTS TEST RESULTS - 03/21/2025 continued PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (μg/g)	RESULT
1-Butanol	0.475 / 1.582		N/A	ND	
2-Butanol	7.248 / 24.16		N/A	ND	
1-Pentanol	1.461 / 4.869		N/A	ND	
Acetone	10.59 / 32.08	5000	N/A	ND	PASS
2-Butanone	0.169/0.564		N/A	ND	
Tetrahydrofuran	0.622 / 2.075		N/A	ND	
Ethyl Ether	0.197 / 0.658	5000	N/A	ND	PASS
Ethylene Glycol	3.803 / 12.68		N/A	ND	
2-Ethoxyethanol	1.235 / 4.118		N/A	ND	
1,2-Dimethoxyethane	2.116 / 7.052		N/A	ND	
1,4-Dioxane	0.468 / 1.558		N/A	ND	
Ethylene Oxide	0.253 / 0.844	1	N/A	ND	PASS
Ethyl Acetate	1.123 / 3.745	5000	±0.4923	33.040	PASS
Isopropyl Acetate	0.347 / 1.158		N/A	ND	
Chloroform	0.251 / 0.838	1	N/A	ND	PASS
Dichloromethane (Methylene Chloride)	2.651 / 8.838	1	N/A	ND	PASS
Trichloroethylene	0.299 / 0.996	1	N/A	ND	PASS
1,2-Dichloroethane	0.162 / 0.541	1	N/A	ND	PASS
1,1-Dichloroethene	0.185 / 0.616		N/A	ND	
1,2-Dichloroethene	0.428 / 1.427		N/A	ND	
Sulfolane	47.66 / 158.9		N/A	ND	
Dimethyl Sulfoxide	6.168/20.56		N/A	ND	
Acetonitrile	1.595 / 4.833	410	N/A	ND	PASS
Pyridine	0.407 / 1.355		N/A	ND	
N,N-Dimethylacetamide	0.127/0.422		N/A	ND	
N,N-Dimethylformamide	0.946/3.153		N/A	ND	



### **Heavy Metals Analysis**

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

#### HEAVY METALS TEST RESULTS - 03/23/2025 **⊘ PASS**

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Arsenic	0.02 / 0.1	1.5	N/A	ND	PASS
Boron	0.21/0.64		N/A	ND	
Cadmium	0.02 / 0.05	0.5	N/A	ND	PASS
Chromium	0.12 / 0.35		N/A	ND	
Cobalt	0.10 / 0.30		N/A	ND	
Copper	0.14 / 0.44		±0.336	2.33	
Lead	0.04 / 0.1	0.5	N/A	ND	PASS
Lithium	0.10 / 0.31		N/A	ND	
Manganese	0.13 / 0.40		N/A	ND	
Mercury	0.002 / 0.01	3	N/A	ND	PASS









#### Heavy Metals Analysis Continued HEAVY METALS TEST RESULTS - 03/23/2025 continued PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Molybdenum	0.15 / 0.44		N/A	ND	
Nickel	0.13/0.39		N/A	ND	
Selenium	0.5 / 1.5		N/A	ND	
Silver	0.15 / 0.47		N/A	ND	
Sulfur	78 / 235		N/A	<loq< th=""><th></th></loq<>	
Titanium	0.12 / 0.38		N/A	<loq< th=""><th></th></loq<>	
Tungsten	0.10 / 0.32		N/A	ND	
Zinc	0.8 / 2.5		N/A	ND	



# Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

#### MICROBIOLOGY TEST RESULTS (PCR) - 03/24/2025 PASS

COMPOUND	ACTION LIMIT (cfu/g)	RESULT (cfu/g)	RESULT
Aspergillus flavus	Not Detected in 1g	ND	PASS
Aspergillus fumigatus	Not Detected in 1g	ND	PASS
Aspergillus niger	Not Detected in 1g	ND	PASS
Aspergillus terreus	Not Detected in 1g	ND	PASS
Bile-Tolerant Gram-Negative Bacteria		ND	
Campylobacter spp.		ND	
Candida albicans		ND	
Listeria monocytogenes		ND	
Pseudomonas aeruginosa		ND	
Salmonella spp.	Not Detected in 1g	ND	PASS
Shiga toxin-producing Escherichia coli	Not Detected in 1g	ND	PASS
Staphylococcus aureus		ND	
Yersinia spp.		ND	

Analysis conducted by 3M<sup>™</sup> Petrifilm<sup>™</sup> and plate counts of microbiological contaminants.

**Method:** QSP 6794 - Plating with  $3M^{TM}$  Petrifilm $^{TM}$ 

#### MICROBIOLOGY TEST RESULTS (PLATING) - 03/24/2025 ND

COMPOUND	RESULT (cfu/g)
Coliforms	ND
Escherichia coli	ND
Total Aerobic Bacteria	ND
Total Enterobacteriaceae	ND
Total Yeast and Mold	ND









# Foreign MaterialAnalysis

Visual analysis includes, but is not limited to, sand, soil, cinders, dirt, mold, hair, insect fragments, and mammalian excreta.

Method: QSP 1226 - Analysis of Foreign Material in Cannabis and Cannabis Products

#### FOREIGN MATERIAL TEST RESULTS - 03/20/2025 PASS

COMPOUND	ACTION LIMIT	RESULT (per 3 Grams)	RESULT
Hair Count	> 1 per 3 grams	0.0	PASS
Insect Fragment Count	> 1 per 3 grams	0.0	PASS
Mammalian Excreta Count	> 1 per 3 grams	0.0	PASS
Total Sample Area Covered by an Imbedded Foreign Material	>25%	None	PASS
Total Sample Area Covered by Mold	>25%	None	PASS
Total Sample Area Covered by Sand, Soil, Cinders, or Dirt	>25%	None	PASS



# Water Activity Analysis


Method: QSP 1227 - Analysis of Water Activity in Cannabis and Cannabis Products

#### WATER ACTIVITY TEST RESULTS - 03/24/2025 PASS


COMPOUND	LOD/LOQ (Aw)	ACTION LIMIT (Aw)	MEASUREMENT UNCERTAINTY (Aw)	RESULT (Aw)	RESULT
Water Activity	0.030 / 0.15	0.85	±0.034	0.70	PASS

#### **NOTES**

Reason for Amendment: Add/Remove Test(s)



Injection Name:	Injection Time:	19/03/2025 11:23				
Raw Data Table					Vial Position:	GD7
Peak No.	Peak Name	Retention Time	Area	Height	Amount	Wavelength
		min	mAU*min	mAU	ug/mL	nm
UV_VIS_2	UV_VIS_2	UV_VIS_2	UV_VIS_2	UV_VIS_2	UV_VIS_2	UV_VIS_2
3	CBG	3.109	0.280	5.918	1.4205	222.0
No.	Peak Name	Retention Time	Area	Height	Amount	Wavelength
		min	mAU*min	mAU	ug/mL	nm
UV_VIS_3	UV_VIS_3	UV_VIS_3	UV_VIS_3	UV_VIS_3	UV_VIS_3	UV_VIS_3
2	B4HB	1.336	54.214	1664.943	645.5859	235.0
5	CBN	4.751	0.050	0.885	0.2512	235.0
7	THC	5.784	4.278	61.800	50.5968	235.0
No.	Peak Name	Retention Time	Area	Height	Amount	Wavelength
		min	mAU*min	mAU	ug/mL	nm
UV_VIS_4	UV_VIS_4	UV_VIS_4	UV_VIS_4	UV_VIS_4	UV_VIS_4	UV_VIS_4



Injection Name: 250318M010-CT-A1B2C1 Injection Time: 19/03/2025 11:32 Raw Data Table Vial Position: GD8						
Peak No.	Peak Name	Retention Time	Area	Height	Amount	Wavelength
		min	mAU*min	mAU	ug/mL	nm
UV_VIS_2	UV_VIS_2	UV_VIS_2	UV_VIS_2	UV_VIS_2	UV_VIS_2	UV_VIS_2
No.	Peak Name	Retention Time	Area	Height	Amount	Wavelength
		min	mAU*min	mAU	ug/mL	nm
UV_VIS_3	UV_VIS_3	UV_VIS_3	UV_VIS_3	UV_VIS_3	UV_VIS_3	UV_VIS_3
2	В4НВ	1.337	4.089	170.202	48.4287	235.0
3	THC	5.777	0.198	3.080	2.4049	235.0
No.	Peak Name	Retention Time	Area	Height	Amount	Wavelength
		min	mAU*min	mAU	ug/mL	nm
UV_VIS_4	UV VIS 4	UV VIS 4	UV VIS 4	UV VIS 4	UV VIS 4	UV VIS 4