

CERTIFICATE OF ANALYSIS

Product Code: Ripple Pure D9 Dissolves, 5mg D9

SKU: FG-RD-P-D9 **Lot Code:** 243051D9

Manufacturing Date: 11/01/24

Expiration Date: 11/01/25

| Test Parameter | Range | Result | Reference |
|--|---|---------------------------------|---|
| Organoleptic - Caliper Panel | Conforms to standard | Pass | QSOP-042 |
| Potency - Colorado Compliance | | | |
| CBD | 0.0 - 0.2% | ND | External Laboratory TM14 (HPLC-DAD) |
| THC d8 | 0.0-0.5% | ND | External Laboratory TM14 (HPLC-DAD) |
| THC d9 | 0.25-0.29% | 0.297% | External Laboratory TM14 (HPLC-DAD) |
| Total THC | 0.25 - 0.29% | 0.297% | External Laboratory TM14 |
| Total Cannabinoids | | 0.297% | (HPLC-DAD) |
| Micro - Colorado Compliance | | | |
| <u>Microbiological Test</u> Total Aerobic Plate Count | <u>LOD</u> 1.0X10³- 1.0X10⁵ CFU/g | <u>Results</u> None Detected | <u>Method</u> External Laboratory TM24: Culture Plating |
| Total Coliforms | 1.0X10 ² - 1.0X10 ⁴ CFU/g | None Detected | External Laboratory, TM24: Culture Plating |
| Total Yeast & Mold | 1.0X10 ² - 1.0X10 ⁴ CFU/g | None Detected | External Laboratory, TM24: Culture Plating |
| E. Coli (STEC)/25mL | Positive/None Detected | Absent | External Lab, TM25: PCR |
| Salmonella/25mL | Positive/None Detected | Absent | External Laboratory, TM25: PCR |

Rev 2.0 Updated to include all Colorado Compliance test results on COA. K. Woelfel, 3/28/2024. The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you to decide whether and how to use this information. Ripple makes no warranty about the accuracy or completeness of the information contained above or the suitability of any of their products for your specific intended use. Furthermore, all express or implied warranties of noninfringement, merchantability, or fitness for a particular purpose are hereby disclaimed. Ripple assumes no responsibility for any liability or damages arising out of or relating to any of the foregoing.



CERTIFICATE OF ANALYSIS

Heavy Metals- Colorado Compliance

| Cadmium | 0.05-4.70 ppm Dynamic Range | None Detected |
|---------|-----------------------------|---------------|
| Mercury | 0.05-4.83 ppm Dynamic Range | None Detected |
| Arsenic | 0.05-4.70 ppm Dynamic Range | None Detected |
| Lead | 0.05-4.26 ppm Dynamic Range | None Detected |

Mycotoxins - Colorado Compliance Test Method ™ 18 (UHPLC-QQQ LCMS/MS)

| <u>Mycotoxin</u> Ochratoxin A | <u>Dynamic Range (ppb)</u> 0.72-131.1 | Results (ppb) None Detected |
|--------------------------------------|--|-----------------------------|
| Aflatoxin B1 | 0.91-32.85 | None Detected |
| Aflatoxin B2 | 0.95-32.85 | None Detected |
| Aflatoxin G1 | 0.95-32.91 | None Detected |
| Aflatoxin G2 | 1.43-33.01 | None Detected |
| Total Aflatoxins (B1, B2, G1 and G2) | | None Detected |

Residual Solvents - Colorado Compliance Test Method TM04 (GC-MS): Residual Solvents

| <u>Solvent</u> Propane | <u>Dynamic Range (ppm)</u> 89-1778 | <u>Results (ppm)</u> None Detected |
|-------------------------------|---------------------------------------|---------------------------------------|
| Butanes (Isobutane, n-Butane) | 179-3579 | None Detected |
| Methanol | 67-1336 | None Detected |
| Pentane | 94-1873 | None Detected |
| Ethanol | 94-1890 | None Detected |

Rev 2.0 Updated to include all Colorado Compliance test results on COA. K. Woelfel, 3/28/2024. The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you to decide whether and how to use this information. Ripple makes no warranty about the accuracy or completeness of the information contained above or the suitability of any of their products for your specific intended use. Furthermore, all express or implied warranties of noninfringement, merchantability, or fitness for a particular purpose are hereby disclaimed. Ripple assumes no responsibility for any liability or damages arising out of or relating to any of the foregoing.



CERTIFICATE OF ANALYSIS

| Acetone | 106-2111 | None Detected |
|-------------------------|-----------|---------------|
| Isopropyl Alcohol | 108-2169 | None Detected |
| Hexane | 7-130 | None Detected |
| Ethyl Acetate | 109- 2171 | None Detected |
| Benzene | 0.2 -4.4 | None Detected |
| Heptanes | 102-2047 | None Detected |
| Toluene | 20-391 | None Detected |
| Xylenes (m,p,o-Xylenes) | 141-2825 | None Detected |

Pesticides - Colorado Compliance
Test Method TM17 (LC-QQ LC MS/MS): Pesticides

Test ID: T000292971

COA Creation: K. Woelfel 1/16/25

Rev 2.0 Updated to include all Colorado Compliance test results on COA. K. Woelfel, 3/28/2024. The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you to decide whether and how to use this information. Ripple makes no warranty about the accuracy or completeness of the information contained above or the suitability of any of their products for your specific intended use. Furthermore, all express or implied warranties of noninfringement, merchantability, or fitness for a particular purpose are hereby disclaimed. Ripple assumes no responsibility for any liability or damages arising out of or relating to any of the foregoing.