

## Chief Stix THC-A 1gm preroll Maui Wowie + Sour Tangie

Sample ID: HR20230790076	Produced:	Client
Strain: Maui Wowie + Sour Tangie	Collected: 07/07/2023	<b>Chief Stix</b>
Matrix: Plant	Received: 07/07/2023	Lic. #
Type: Preroll	Completed: 07/13/2023	924 Chevy Way
Sample Size: ; Batch:	Batch#: PR-MS-1581-3	Medford, OR 97504



### Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	07/10/2023	Complete
Moisture	07/10/2023	13.85%

### Cannabinoids

Complete



Analyte	LOD	LOQ	Mass	Mass	Mass	Mass
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving
THCa	0.20000	0.61000	13.62	136.22		
Δ9-THC	0.15000	0.45000	0.26	2.60		
Δ8-THC	0.14000	0.42000	ND	ND		
THCV	0.15000	0.44000	ND	ND		
CBDa	0.10000	0.31000	5.58	55.78		
CBD	0.15000	0.45000	2.03	20.25		
CBDV	0.13000	0.40000	ND	ND		
CBN	0.16000	0.50000	ND	ND		
CBGa	0.29000	0.88000	8.51	85.09		
CBG	0.13000	0.39000	0.39	3.87		
CBC	0.14000	0.42000	ND	ND		
CBL	0.17000	0.53000	ND	ND		
<b>Total THC</b>			<b>12.21</b>	<b>122.06</b>	<b>0.00</b>	<b>0.00</b>
<b>Total CBD</b>			<b>6.92</b>	<b>69.17</b>		
<b>Total</b>			<b>26.97</b>	<b>269.73</b>	<b>0.00</b>	<b>0.00</b>

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



*Ming Li*

Ming Li - General Manager  
07/13/2023

Condent Cannabis  
All Rights Reserved  
support@condentcannabis.com  
(866) 506-5866  
www.condentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.